





225 Elmwood Ave. Burlington Vermont

Existing structure-20' X 20' patched stone foundation with one level living above. Additional rooms added on back with no cellar access. Presumably on slab. Dry rot throughout basement. Existing bathroom floor completely rotted through. Asbestos report from October 2, 2019 from KD associates. (KDAI Project No: 07057-0004) is attached. Materials found to be containing asbestos were remediated from the property by Levaggi Environmental Contracting (LEC) in January 2020. Documentation attached.

Site Plan- GMHH is looking to demolish existing 2 bedroom, 1 bath structure due to structural failures and extensive rot, replacing structure with a 3 bedroom, 1.5 bath single family home. New structure will be two stories 20' X 38' with 8' front porch and 6' rear porch. Large pine tree off north east corner on property side of sidewalk will be removed to meet neighborhood setback requirements. Three additional trees < 8" diameter will be removed from back yard.

New structure-New structure is 20' X38' two story single family home. 3 bedroom, 1.5 bath. Built to meet Efficiency Vermont standards. Home will have concrete exterior siding, asphalt shingle roof, vinyl windows, pressure treated rear deck (6' X 12' with roof, 4:12 pitch 16'wide extending over basement egress), composite front deck (8'X 16') with roof and vinyl railing. Interior of home will have egress window in basement, hardwood and ceramic tile flooring, sheetrocked interior walls and 1 hour fire burn wall on north side of structure. High efficiency boiler with air exchanger system.

Setbacks-	North side	30"	Location of current structure		
	East side	48"	#217 & #219 Elmwood =	48" off sidewalk	
			#227-229 Elmwood =	48" off sidewalk	
			#237 Elmwood=	42" off sidewalk	
	South side	<6"	Driveway material to match	city curb cut	
	West side	60"	New shed installed 60" of west fence needs to meet		
				min, 5 set back	

Utilities- Conduit installed under sidewalk to move cable and electric to underground service.

Fence-Existing rusted metal fence will be replaced with 6' stockade fence along north boundary line. Fence will start 10' from edge of sidewalk and run the length of property to west boundary line.

Needs to meet Clear side treasger.


Shed-Existing Shed is going to be removed from property and replace with 8' X 12' shed positioned in SW corner of lot


Driveway- Stone driveway installed along south boundary line extending 16' X 9' wide


RECEIVED

MAY 18 2020


BURLINGTON PERMITTING & INSPECTIONS












1 = 1 7/



Classic Vinyl Double Hung Window



Our most popular window, the Classic offers a variety of color, grid and hardware options to match the style of any home. The Classic's sleek fully welded sash and frame provides better performance than ordinary vinyl windows, with an air-tight seal that keeps wind and water where they belong — outside.



UNIT/BUCK SIZE LIMITATIONS'

WIDTH 16-1/4"

47-3/4"

HEIGHT 24"

Max. UI 124"

Mm. Max 84"

COLORS




White or Almond Extruded Vinyl



HARDWARE

Cam Lock



Standard

Premium finishes available. Call for pricing

Premium

White

Almond

GLAZING & PERFORMANCE

- Optional ThermaLock glazing surpasses ENERGY ST criteria (U-Value 0.25)
- DP50 upgrade & Sound-reducing options available
- \bullet Double locks are standard on widths of $\geq 30^\circ$
- Aluminum reinforcing in meeting rail widths of

REPLACEMENT APPLICATION

- 3-1/4" jamb depth
- Adjustable vinyl sill extender and head expand:

NEW CONSTRUCTION APPLICATION

- Extension jambs available for 4-9/16" and 6-9 to depths; custom sizes available
- Integral L or J fin available

ADDITIONAL OPTIONS

GRIDS: 1" and 5/8" - GBG, Exterior Applied & SDL. Colonial, Prairie & Custom configurations

Exterior Factory Applied Casing: Hat & 908 Brickmould, with or without sill nose


Interior Trim Kits Available


SCREENS: Full and half sizes; FlexScreen or Aluminum frame; VIEWS or fiberglass screen wire

Reference pricing only. Access current pricing 24/7 on H8P Secure Site. To sign up, visit store harveyop com-

Steel Doolis Doors With Glass

Model # 92105 Home oors & Windows Terior Doors /






























Stanley Doors

36 in. x 80 in. Colonial 9 Lite 2-Panel Painted White Steel

Prehung Front Door with Internal Grille and

Brickmold

★★★★ (10) → Write a Review

Questions & Answers (85)

\$269.89 /each

Color/Finish: Prefinished white

31 DEPARTMENT OF ANNING & ZONUNG

REQUIRE ZONING APPROVAL PRIOR TO CONSTRUCTION ANY MODIFICATION OR DEVIATIONS FROM THES ALL ERRORS IN DIMENSIONS, PLANS, OR DETAILING ARE - NOTE -

FINAL APPROVAL

FULLY THE RESPONSIBILITY OF THE APPLICANT/OWNER

SIGNED: DATE:

Planning & Zoning Department **Burlington, Vermont**

Save to List



Door Size (WxH) in. 36 x 80

Door Handing Left-Hand/Inswing

















Not in Your Store - We'll Ship It There

We'll Ship It to You

Barrie Collection Outdoor Wall 1Lt BK 9794BK (Black (Painted))



Dimensions
Height ANY MODIFICATION
Height ANY MODIFICATION OR DELIVER.
Height ANY MODIFICATION OR DEVIATIONS FROM THESE PLANS ALL FROM THESE PLANS
FULLY THE PERSONNENSIONS, PLANS, OR DETAIL IN
THE APPLIANTING ARE
FULLY THE RESPONSIBILITY OF THE APPLICANT/OWNER.

SIGNED:

Planning & Zoning Department Burlington, Ve

Location:	^ ·
Location.	
Туре:	
Qty:	

uty.							
Comments:							
O 1							
Ordering Information							
Product ID	9794BK						
Finish	Black (Painted)						
Available Finishes	TZ, BK						
Collection	Barrie Collection						
Dimensions							
Extension	5.75"						
	5.75						
Height from center of Wall opening	2.70"						
Base Backplate	4.75 DIA						
Weight	1.60 LBS						
Specifications							
Material	Cast Aluminum						
Glass Description	Clear Beveled						
Electrical							
Voltage	120V						
Lead Wire Length	2.7"						
Qualifications							
	Wet						
Safety Rated							
Warranty	www.kichler.com/warranty						
Primary Lamping							
Light Source	Incandescent						
Lamp Included	Not Included						
Number of Lights/LEDs	1						

100W

Medium A19

150

Max or Nominal Watt

Socket Wire

Socket Type


Lamp Type

Alternate Lamps	son, vermont	way -			
Lamp Included	Bulb Listing	Light Source	Max Wattage/Range	Bulb Product ID	Dimming
No	Alternate	INCA	60W	4071CLR	

Kichler 7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
 Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER.



225 Elmwood - Existing Site Plan

4 <,0,9= 17.10 ,01,51 \$ 3,6" 8.6" - 94'8" - 12.0"-Existing Shed

148,50

RECEIVED

MAY 18 2020

BURLINGTON PERMITTING & INSPECTIONS

RECEIVED

Panmy

BURLINGTON
PERMITTING & INSPECTIONS

235 Elmwood Ave-Proposed Site Plan

John Lot